



HIGH PERFORMANCE  
DISPLAY SYSTEMS



Collection | 2022



# This is Expolinc

**We are the hardware people!** We do not print and therefore and we do not sell direct to end-users. We are happy to direct end-users to our many professional dealers worldwide!

**Everything that we offer is developed by us!** That is a security for any user, we are in full control. We don't source any products from third party suppliers.

**It is important that it looks nice!** We strongly believe that its so important for the end result that the products are neutral and that the graphic hangs perfect. That's the whole purpose - putting the user in the best of lights!

**User-friendliness is key!** If you are struggling with set-up, the end result is at risk! We make sure our products are intuitive and user-friendly. It should be fun to set-up our products, for everyone... and of course with a perfect result!

**Life time is economy and sustainability!** The best materials and designs enables you to reuse our products for a long, long time! We put attention to every detail, both in design and production.

**Its all heart!** All of us at Expolinc are passionate about our business and we are so proud that many of the world-wide brands are users of our products. For more than 35 years!



New!



**LIGHT FRAME** · 4 - 9 ·



**CLASSIC FRAME** · 10 - 14 ·

New!



**FABRIC STAND** · 15 ·



**FABRIC SYSTEM** · 16 - 19 ·

# Our products



**POP UP MAGNETIC** · 20 - 23 ·



**SOFT IMAGE** · 24 - 25 ·



**SOFT IMAGE COUNTER** · 26 ·



**BROCHURE STAND / DOUBLE** · 27 ·



**STANDARD CASE** · 28 ·



**GRAPHIC PROFILE** · 29 ·



**ROLL UP CLASSIC** · 30 - 31 ·



**ROLL UP PROFESSIONAL** · 32 - 33 ·



**ROLL UP COMPACT** · 34 - 35 ·



**4 SCREEN CLASSIC** · 36 - 37 ·



**PANEL BASE** · 38 ·



**MAGNET FRAME** · 39 ·



**CASE & COUNTER** · 40 - 41 ·



**STAND UP** · 42 ·



**POLE SYSTEM** · 43 ·

New!



**MONITOR STAND** · 44 ·



**INFO STAND** · 45 ·



**PORTABLE TABLE** · 46 ·

LIGHT FRAME | EXPOLINC.COM

- 



962 X 2 500 mm .....	28.0 kg
1 837 X 2 500 mm .....	34.5 kg *
2 712 X 2 500 mm .....	41.0 kg *
3 587 X 2 500 mm .....	47.0 kg **

CE



AGE

962 X 2 500 mm .....	25.8 kg
1 837 X 2 500 mm .....	32.5 kg *
2 712 X 2 500 mm .....	39.2 kg *
3 587 X 2 500 mm .....	45.4 kg **



**CARRYING CASE**

1 837 X 2 500 mm .....	39.2 kg *
2 712 X 2 500 mm .....	45.9 kg *
3 587 X 2 500 mm .....	52.1 kg **



4





Light Frame

## **Build with light. Shine your brand.**

Let us introduce Light Frame which is part of the Frame family. Light Frame is a portable, backlit aluminium frame for SEG, fabric print and no tools are required for the installation.

Are you looking for illuminating larger graphics with high-power LED and boost your brand? Light Frame is the solution!

# Light Frame

## Combine and shine

## Build whatever




### CONNECTORS

Connect frames, with or without lights, straight or in angle. More combinations and solutions are presented on [www.expolinc.com](http://www.expolinc.com)

### SUPPORTING FEET

Single sided or double sided foot depending on your need.



Safety tested and approved by Intertek according to:  
European Union Standards (CE):  
IEC 60598-2-11979-41, EN 60598-1:2015-41, EN 60598-2-11985, IEC 60598-1:2014/AM2:2017, IEC 62031  
IEC 60712:2006



Safety tested and approved by Intertek according to:  
North American Standards (ETL):  
CSA C22.2-W250.0:2018 E6.4, UL 153:2014 E6.3-H.21 Jul 2018

Light Frame connected with Classic Frame.



## Build flexible and complex solutions.

Combine Light Frame and Classic Frame to create amazing environments. Build various heights and widths in different combinations in only a few steps. Reuse and resize for your next event, the only thing you might need to replace is the graphic. This is what we call sustainable and flexible!



Watch the movie about Light Frame at [expolinc.com](http://expolinc.com)



Safety tested and approved by Intertek according to:  
European Union Standards (CE)  
IEC 60598-2-13579-41, EN 60598-1:2015-41, EN 60598-2-13579, IEC 60598-1:2014/AMD1:2017, IEC 62031  
IEC 62471:2006

## Powerful LED lights embedded



LED lights protected in light profile section. Optimized profile gives even reflection.



Connectors are integrated in corner hubs.



Robust and easy-to-use connector gives excellent stability.



Safety tested and approved by Intertek according to:  
North American Standards (ETL)  
CSA C22.2-M950.0-2010 Ed.4, UL 153-2014 Ed19-R-27 Jul2018





Discover the  
world of  
great music

JOIN US NOW



Join the team.  
Apply now.

MEDICINE - HEALTH



Join the world's  
leading company in  
biomedics

Biomedics Employee

When you join Biomedics, you'll be part of a team that's dedicated to making a difference in the lives of our patients. We're looking for people who are passionate about their work and want to make a difference in the world.

Biomedics Employee

When you join Biomedics, you'll be part of a team that's dedicated to making a difference in the lives of our patients. We're looking for people who are passionate about their work and want to make a difference in the world.

Biomedics Employee

When you join Biomedics, you'll be part of a team that's dedicated to making a difference in the lives of our patients. We're looking for people who are passionate about their work and want to make a difference in the world.

Biomedics Employee

When you join Biomedics, you'll be part of a team that's dedicated to making a difference in the lives of our patients. We're looking for people who are passionate about their work and want to make a difference in the world.

Biomedics Employee

When you join Biomedics, you'll be part of a team that's dedicated to making a difference in the lives of our patients. We're looking for people who are passionate about their work and want to make a difference in the world.

Biomedics Employee

When you join Biomedics, you'll be part of a team that's dedicated to making a difference in the lives of our patients. We're looking for people who are passionate about their work and want to make a difference in the world.

Biomedics Employee

When you join Biomedics, you'll be part of a team that's dedicated to making a difference in the lives of our patients. We're looking for people who are passionate about their work and want to make a difference in the world.

Biomedics Employee


When you join Biomedics, you'll be part of a team that's dedicated to making a difference in the lives of our patients. We're looking for people who are passionate about their work and want to make a difference in the world.

Biomedics Employee



Join the world's leading company  
in biomedics






# Classic Frame

New!

## MONITOR STAND

Can be combined with Monitor Stand.  
Read more on page 44.



- DOUBLE SIDED
- PORTABLE AND TOOLLESS
- MAGNETIC CLUTCH. ASSEMBLING MADE SIMPLE
- FRAMES TO COMBINE OR STAND ALONE. SEAMLESS



## BASIC PACKAGE

500 X 2 500 mm.....	9.5 kg
950 X 2 500 mm.....	10.4 kg
1 950 X 2 500 mm.....	13.4 kg
2 950 X 2 500 mm.....	16.5 kg *
3 950 X 2 500 mm.....	20.4 kg **
4 950 X 2 500 mm.....	25.0 kg ***

The packages includes a complete frame, packed in a delivery box.  
\*Incl. 1 supporting rod. \*\*Incl. 2 supporting rods. \*\*\*Incl. 3 supporting rods.



## TRAVEL PACKAGE

1 950 X 2 500 mm.....	15.9 kg
2 950 X 2 500 mm.....	19.0 kg *
3 950 X 2 500 mm.....	22.9 kg **
4 950 X 2 500 mm.....	27.5 kg ***

The packages includes a complete frame, delivered in a soft bag with wheels.  
\*Incl. 1 supporting rod. \*\*Incl. 2 supporting rods. \*\*\*Incl. 3 supporting rods.



## STANDARD CASE XL PACKAGE

1 950 X 2 500 mm.....	23.9 kg
2 950 X 2 500 mm.....	27.0 kg *
3 950 X 2 500 mm.....	30.9 kg **
4 950 X 2 500 mm.....	35.5 kg ***

The packages includes a complete frame, delivered in a Standard Case XL.  
\*Incl. 1 supporting rod. \*\*Incl. 2 supporting rods. \*\*\*Incl. 3 supporting rods.




Addition, Standard Case XL:  
White or silver top shelf.



## Classic Frame

# Scalable dimensions



Let us introduce Classic Frame. It requires no tools or specialized labor to setup. The unique magnetic connectors guide you to a smooth, stable and safe installation. The systems design consists of smooth, rounded edges along with profiles with high surface finish for a stylish environment.

The Classic Frame system - Whether you need a simple backwall or an advanced enviroment.



# Classic Frame

## The choice is yours

## Build whatever



Watch the movie about  
Classic Frame at [expolinc.com](http://expolinc.com)



### SUPPORTING RODS

Four heights available.  
2m, 2.25m, 2.5m and 3m.



### LIGHTS

LED spotlight incl bag.

### CONNECTORS

Six different connectors to combine  
your unique frame system.



### STABILIZING FEET

Four different types:  
Double sided pair, single sided pair, single sided connection  
foot & double sided connection foot.



Different types of connectors.






## Classic Frame Storage Room

# Storage space

- LOCKABLE, PORTABLE AND TOOLLESS.
- OPTIONAL SHELF
- AVAILABLE WITH LEFT OR RIGHT HANG DOOR



### STORAGE ROOM

Width (mm)	950
Height (mm)	2 495
Depth (mm)	1 000
Weight	47,0 kg



Watch the movie about  
Classic Frame Storage at [expolinc.com](http://expolinc.com)

## Classic Frame Counter

# Stable and solid

- EASY TO SET-UP
- PERFECT FOR MEETINGS OR DEMO TABLE
- STABLE SHELF FOR MARKETING MATERIAL



Watch the movie about  
Classic Frame Counter at [expolinc.com](http://expolinc.com)



950 X 990 mm



1950 X 990 mm

### COUNTER

Width (mm)	950 / 1950
Height (mm)	990 / 990
Depth (mm)	410 / 410
Weight	33.5 kg / 44,0 kg



# Fabric Stand

## A double sided and freestanding frame for fabric graphics

Choose between the stylish Flat Base or the more economical double sided foot. The standard size of 1x2m makes the system suitable for e.g. trade show environments, showrooms and stores. The system is made of durable materials and it's easy to exchange graphics, it can be used and reused for many years.



### FACTS FABRIC STAND

Width (mm) .....	1000
Height (mm) .....	2000
Weight, With Flat Base (kg) .....	6,1
Weight, With steelfet (kg) .....	4,6



Feet or Flat Base?  
Choose whatever fits your needs.




Stylish Flat Base.



Compact packaging. Easy to transport.

### MONITOR STAND

Can be combined  
with Monitor Stand.  
Read more on page 44.



Watch the movie about  
Fabric Stand at [expolinc.com](http://expolinc.com)

- PERFECT IN STAND-ALONE ENVIRONMENTS
- STYLISH DESIGN WITH HIGH FINISH
- TWO DIFFERENT OPTIONS FOR FEET
- DOUBLE SIDED

# Fabric System

- UP TO 18 SQM WALL IN ONE BOX
- CREATE YOUR OWN SHAPES AND HEIGHTS
- PATENTED SOLUTION FOR EASY SET UP

## MONITOR STAND

Can be combined  
with Monitor Stand.  
Read more on page 44.



## FACTS FABRIC SYSTEM

Height .....	flexible 1150 – 2 900 mm
Length straight section .....	1 000 mm
Length straight section .....	1 100 mm
Length curved 15° inside .....	1 100 mm
Length curved 15° outside .....	1 100 mm
Length curved 90° inside .....	1 300 mm

## MAXIMUM BUILDING WIDTH

2 Poles straight .....	3,3 m
2 Poles curved 15° .....	3,3 m
3 Poles curved 15° .....	6,6 m
3 Poles straight .....	6,6 m

## WEIGHT EXCL GRAPHIC AND PROFILES

2 Poles Soft Bag .....	16,5 kg
2 Poles Standard Case XL .....	29 kg
3 Poles Standard Case XL .....	35 kg





The soft bag is designed for 2 poles, profiles and a graphic of up to 14 sqm. The steel bases are carried separately in a dedicated bag.






## Fabric System

# Create an impressive backwall to fit your needs



### ALL COMPLETE IN ONE BOX!

Standard Case XL holds up to 3 poles and 90° curved profiles. The case can easily be converted into a podium.



With Fabric System you can make a great impact with a backwall in your own size, shape and height. Choose between straight, inner and outer curves. Do you want to change the image or size? No problem, re-use the hardware for years and simply put on a new motive/graphic. The structure is easily built and the fabric is attached at working height before it is lifted.

# Fabric System

## Patented technology




### PROFILES / ACCESSORIES



Straight profile 1000 mm and 1100 mm.



Curved profile 15° 1100 mm.



Curved profile 15° 1100 mm.



The silicone edges at the top and bottom of the graphic are easily slid into the profiles.




The edge of the graphic is folded around the profile and secured with a spring clip.



With flexible joints, each pole can be lowered separately which enable easy handling of complex shapes.



System well protected in robust bags.



90° inner curve 1300 mm.



Best in Class LED available. 15W and impressive 1200 Lumen.






# Pop Up Magnetic

## MONITOR STAND

Can be combined with Monitor Stand.  
Read more on page 44.

New!



1 510 X 2 975 mm



- PROBABLY THE WORLD'S EASIEST POP UP TO SET UP
- FLEXIBLE HEIGHTS, WIDTHS AND CURVES
- UNLIMITED POSSIBILITIES TO CUSTOMIZE YOUR LOOK

2 290 X 2 500 mm



3 065 X 2 224 mm



## FACTS POP UP MAGNETIC CURVED\*

No. of squares	2X3	3X3	4X3
Design	Curved	Curved	Curved
Width (mm)	1 915	2 535	3 065
Height (mm)	2 224	2 224	2 224
Depth (mm)	510	710	970
Weight, package (kg) - Basic	8,5	10,4	12,3
Weight, package (kg) - Travel	15,5	18,0	20,0
Weight, package (kg) - Standard	23,0	25,5	27,5
Weight, package (kg) - Case & Counter	26,5	29,0	31,0

## FACTS POP UP MAGNETIC STRAIGHT\*

No. of squares	2X3	3X3	4X3
Design	Straight	Straight	Straight
Width (mm)	2 016	2 749	3 482
Height (mm)	2 224	2 224	2 224
Depth (mm)	315	315	315
Weight, package (kg) - Basic	8,8	10,8	12,8
Weight, package (kg) - Travel	15,8	18,4	20,5
Weight, package (kg) - Standard	23,3	25,9	28,0
Weight, package (kg) - Case & Counter	26,8	29,4	31,5

## FACTS POP UP MAGNETIC TOWER



No. of panels	1X3
Height (mm)	2 224
Diameter (mm)	643
Weight, package (kg)	5,5

\*Standard packages with curved side panels



# Pop Up Magnetic

## Professional impact in a few minutes



Hangers that guide the panels into the right position.



The magnetic bars are guided into the right position and the panels fall into place.



It is very easy to lock and unlock the system.

This is probably the easiest big image wall on the market, so user-friendly you can assemble it on your own in a few minutes. The magnetic bars guides everything into position, the panels fall into place and fit seamlessly, securing the perfect setting for your brand.



Watch the movie about  
Pop Up Magnetic at [expolinc.com](http://expolinc.com)

# Pop Up Magnetic – Custom set

Combine structures and build your environment without limitations. Pick and choose from straight and curved structures of different heights to create your custom set. All parts are assembled without tools and each structure stands by itself, which makes it the best in class for ease of setup. Ready-made packages are also available with different packing solutions.



FLAT SIDES

Flat sides are an easy to use option. Simply snap on with magnetic bars to get a stylish finish on your display.



DIFFERENT HEIGHTS

Use different magnetic bars and structures to reach 2.5m and 3m height.

# Pop Up Magnetic Packages and accessories



## BASIC PACKAGE

For those of you who don't want to move the system much, mostly keeping it stationary.



## TRAVEL PACKAGE

For those of you who travel a great deal and want a system that's easy and convenient to take along.



## STANDARD PACKAGE

A complete solution for all occasions when you need that little extra.



## CASE & COUNTER PACKAGE

A complete solution that includes a spacious transport case with wheels that converts into a stylish counter with internal shelves.




## SCREEN HOLDER

Show your product videos on screens weighing up to 8 kg.



## SPOTLIGHTS

Best in class LED lights. 15W, 1200 lumen.



## CONNECTION KIT FOR 90° WITH PROFILE

Connect any two Pop Up Magnetic to create a sharp 90° angle with a discreet profile.



## CONNECTION KIT FOR PANEL

Click to connect any two Pop Up Magnetic structures. Straight and 90° connections are available.

## SHELF KIT

Add a shelf to display your products. No tools needed.



## SHOWCASE KIT

Display your products in a showcase, placed in the best viewing height. Connecting show cases can easily be added.



## STABILISING FEET

Increases the stability depending on configuration.



## CURTAIN PROFILE

Attach a curtain profile easily with velcro to create a separate storage room.

# Soft Image

- SET UP A LARGE IMAGE WALL IN JUST A FEW SECONDS
- TENSION MINIMISES WRINKLES
- ROBUST DESIGN SUITABLE FOR A WIDE RANGE OF FABRICS

2 240 X 2 240 mm

3 700 X 2 240 mm

1 510 X 2 240 mm

## FACTS SOFT IMAGE

Square size	2X3	3X3	4X3	5X3
Width (mm)	1 510	2 240	2 970	3 700
Height (mm)	2 240	2 240	2 240	2 240
Depth (mm)	320	320	320	320
Weight, system (kg)	7,0	9,2	11,1	13,6

All Soft Images come with side attachments for occasions when you wish to extend the image beyond the sides.



# Soft Image

## Packed and ready to go!

Soft Image gives you a feature wall of several square metres that easily folds away in just a few seconds. The fabric image is stored and transported already mounted on the display and the low weight makes it easy to move.



The image is attached with velcro.



Easy to lock and unlock the system.



Image attached to system during transport.



Nylon bags in different sizes available as option.



Best in class LED spotlights incl bag and stabilizing feet.



Watch the movie about  
Soft Image at [expolinc.com](http://expolinc.com)



# Soft Image Counter

## The lightweight counter

Soft Image Counter is based on the same construction as Soft Image, with the fabric attached with velcro. Its robust construction will stretch the fabric to a perfect, wrinkle free presentation of your message. It is a stable meeting place with internal shelf for marketing materials. The set up is quick and easy and the low weight makes it easy to carry.



Watch the movie about  
Soft Image Counter at [expolinc.com](http://expolinc.com)



Width (mm)	1060
Height (mm)	1020
Depth (mm)	395
Weight, system (kg)	10,5



- VERY FAST AND EASY SET UP
- INTERNAL SHELF FOR YOUR MARKETING MATERIAL
- SMOOTH AND WRINKLE FREE



Choose between top shelf  
in silver or stone.



The graphic stays in the  
frame during transport.



The package contains a Soft Image frame  
for the counter, shelf unit, counter top  
and padded nylon bag.



Internal shelf  
for storing your  
information material.

# Brochure Stand & Double

## The perfect way to expose and transport

The Brochure Stand provides the ideal complement to your event environment and a practical way to transport your printed material. Brochure Stand Double presents your brochures in two directions thanks to the zig zag construction. The brochure stand unfolds by gripping the top and lifting it to an upright position. A locking button makes the system secured when unfolded. Available with a soft or hard case.



Brochure Stand folded.



Brochure Stand is also available with a hard case with wheels and an extendable handle.



Brochures remain in the stand during transport.

- ATTRACTIVE DOUBLE OR SINGLE SIDED BROCHURE EXPOSURE
- READY TO USE INSTANTLY, BROCHURES READY IN COMPARTMENTS
- DURABLE COMPARTMENTS THAT DON'T BREAK OR GET SCRATCHED



Brochure Stand Double folded.



Brochure Stand Double is also available with a hard case with wheels and extendable handle.



The brochures remains in the stand during transport.



Brochure Stand Double.

### FACTS BROCHURE STAND

Size extended (mm).....	W250xD268xH1575
Size folded (mm) .....	W250xD268xH395
Weight padded case (kg).....	4,9
Weight hard case (kg).....	8,4
No. of holders.....	4
Colour .....	Silver



Watch the movie about  
Brochure Stand & Double at [expolinc.com](http://expolinc.com)

### FACTS BROCHURE STAND DOUBLE

Size extended (mm).....	W259xD400xH1618
Size folded (mm) .....	W259xD400xH265
Weight incl. soft case (kg) .....	5,2
Weight incl. hard case (kg) .....	8,7
Number of compartments.....	5
Colour .....	Silver



# Standard Case

## This durable case doubles as counter

- HOLDS A COMPLETE POP UP MAGNETIC INCL SPOTLIGHTS AND COUNTER IN ONE BOX
- ROBUST AND DURABLE WITH STEEL WHEEL HOUSING
- CONVERTS INTO A COUNTER IN JUST A FEW SECONDS

### STANDARD CASE XL\*

Size(mm).....D380xW470xH1190  
 Size top shelf(mm).....D410xW560  
 Weight excl. top shelf(kg).....9,7

\*Top shelf sold separately.

### STANDARD CASE\*

Size(mm).....D380xW470xH950  
 Size top shelf(mm).....D410xW560  
 Weight incl. top shelf(kg).....10,8

\*Top shelf in silver is included.



The top is easily positioned on the Standard Case. During transport it is well protected in a padded bag.



The top shelf is also available in white.



Strong metal lockers. Strong steel wheel housing.


A robust case with steel wheel housing and durable locks. Made for our Pop Up Magnetic systems but can also be used for Soft Image and other systems from our product range. To convert the case into a counter, just wrap a graphic around the box and place the included top shelf.



# Graphic Profile

Hang your message where you want – without fuss

## STANDARD PACKAGE



Graphic Profile is delivered in package of 6 pcs 2 000 mm profiles.


## ACCESSORIES



Suspension loops and end caps are available as accessories.

Graphic Profile is an aluminum profile for hanging posters and banners up to 0,8 mm in thickness. The image is attached with a snap, without screws or glue. The symmetrical shape and centered image, lets the profile hang straight and it looks identical from either side. There is no spring mechanism which allows it to be easily cut to desired length or drill in for mounting on a wall.

- EASY TO MOUNT ANY MATERIAL UP TO 0,8 MM
- SYMMETRICAL DESIGN FOR EXPOSURE ON BOTH SIDES
- CAN BE CUT TO ANY DESIRED LENGTH



Length (mm) ..... 2 000  
Max thickness (mm) ..... 0,8

# Roll Up Classic

## Our awardwinning original

Roll Up Classic has been named a “work of applied art” by the Swedish Society of Craft and Design. The system is easy to transport and assembles in a flash for your presentation. Roll Up Classic is available in a wide range of widths and is ideal for repeated use in different environments.



Choose between silver or black.

### FACTS ROLL UP CLASSIC

Width (mm).....	700.....	850.....	1 000.....	1 150.....	1 450.....
Height (mm).....	1 950.....	2 150.....	2 150.....	2 150.....	2 150.....
Weight (kg).....	3,9.....	4,5.....	5,2.....	5,8.....	7,3.....
Colour .....	Silver.....	Black/Silver .....	Black/Silver .....	Silver.....	Silver.....

Optional: Supporting rod for height 2 450 mm.



Watch the movie about  
Roll Up Classic at [expolinc.com](http://expolinc.com)



The standard rod can be exchanged to a telescopic rod for flexible heights.



Best in class LED light available including nylon bag. 15W, 1200 lumens.



Roll Up Classic is transported in a nylon bag with shoulder strap.



Also available with hard case for 850 mm and 1 100 mm.



The graphic can easily be replaced.





- BROAD BASE THAT ENSURES STABILITY
- CLEAN AND NEUTRAL START TO THE GRAPHIC
- AVAILABLE IN FIVE WIDTHS - A SIZE FOR ANY EVENT

# Roll Up Professional

## Exclusive design with easy image change

Roll Up Professional is an exclusive display system made for frequent use in all sorts of environments. It assembles in under 60 seconds. Changing the image is very easy with the Roll Up Professional, which is also available as a double-sided version.



Double-sided Roll Up Professional with two Roll Ups in one.



Images can be changed with the simple touch of a button.



### FACTS ROLL UP PROFESSIONAL

Version .....	Single-sided .....	Double-sided .....
Width (mm) .....	850 .....	850 .....
Height (mm) .....	2 150 .....	2 150 .....
Weight (kg) .....	4,8 .....	7,2 .....
Colour .....	Silver .....	Silver .....



Watch the movie about  
Roll Up Professional at [expolinc.com](http://expolinc.com)

- EXCLUSIVE DESIGN
- QUICK AND EASY CHANGE OF GRAPHICS, NO TOOLS NEEDED
- DOUBLE SIDED VERSION FOR STAND ALONE PLACEMENT



Top profile with end caps is standard in Roll Up Professional.



Best in class LED light available including nylon bag. 15W, 1200 lumens.



850 X 2 150 mm

850 X 2 150 mm



Roll Up Professional is transported in a nylon bag with shoulder strap.



Also available with hard case for single sided.

# Roll Up Compact

## Compact with adjustable image height

Roll Up Compact is a compact and simple to use Roll Up. The rounded corners and sides makes it nice to handle. The adjustable telescopic supporting rod gives the possibility to adjust the image to desired height. It is easy to mount the image without having to gain access inside the system.



- EASY TO CARRY AND TRANSPORT
- FLEXIBLE GRAPHIC HEIGHT AND EASY SET UP
- PROFESSIONAL EXPOSURE, ALWAYS STANDS STRAIGHT


### FACTS ROLL UP PROFESSIONAL

Width (mm)	..... 850	..... 1 000
Height (mm)	..... 1 605 - 2 230	..... 1 605 - 2 230
Depth (mm)	..... 322	..... 322
Weight (kg)	..... 3,4	..... 3,7
Colour	..... Silver	..... Silver



1 000 X 1 650 - 2 230 mm





850 X 2 230 mm



850 X 2 150 mm




1 000 X 1 650 - 2 230 mm



Best in class LED light available including nylon bag. 15W, 1200 lumens.



Discrete top profile with patented locking function. End caps are standard with Roll Up Compact.



The telescopic rod locks in required height.

The foldable foot secures the systems function and stability. It locks in position.



Roll Up Compact is transported in a nylon bag with shoulder strap.



Watch the movie about  
Roll Up Compact at [expolinc.com](http://expolinc.com)

# 4 Screen Classic

## Main focus on the message

4 Screen Classic is a cost effective way of getting your message across on a large scale. Perfect for events and major campaigns where everything from price to assembly time is crucial. Available in seven widths. The design is discreetly simple and you can put it up in less than a minute. Weighted rod makes the 4 Screen Classic stand perfectly steady.


- FOCUS ON THE GRAPHIC WITH ALMOST INVISIBLE PROFILES
- MANY DIFFERENT SIZES FOR ANY EVENT, FROM SMALL TO LARGE
- EASY TO CHANGE GRAPHIC ON LOCATION



4 Screen Classic is transported in a nylon bag with cardboard tube.

### FACTS 4 SCREEN CLASSIC

Width (mm)	550	700	850	1 000	1 150	1 450	2 000
Height (mm)	1 485	1 950	2 150	2 150	2 150	2 150	2 150
Weight (kg)	1,9	2,2	2,5	2,7	4,1	4,7	5,3




With patented locking clips in the top profile, never worry that the graphic will detach.



Best in class LED light available including nylon bag. 15W, 1200 lumens.

1 150 X 2 150 mm



2 000 X 2 150 mm



550 X 1 485 mm

1 450 X 2 450 mm



1 000 X 2 450 mm



Weighted rod gives stability to the system.



10 m magnetic tape for connecting systems and 8 clutch plates incl plastic screws.



Discrete top profile with patented locking function. End caps are optional.



Watch the movie about 4ScreenClassic at [expolinc.com](http://expolinc.com)

# Panel Base

## Rigid boards have never had a better looking base

A floor standing double sided display system that keeps all rigid board materials up to 19 mm in a firm grip. The panel stands straight and stable after fast, easy installation, secured by the foot's grip, so strong that the whole system can be lifted holding the panel.



Panel Base is delivered in a cardboard box.



Panel Base holds the board in a firm grip. No drilling required.



Synthetic rubber feet give a nice feeling. Locking key attached at the bottom.



### FACTS PANEL BASE

Version.....	2x80.....	400.....	610.....	1 220
Width (mm).....	80.....	400.....	610.....	1 220
Height (mm).....	60.....	60.....	60.....	60
Weight (kg).....	0.7 kg.....	1.7 kg.....	2.5 kg.....	7.2 kg



- CREATE ANY SHAPE IN RIGID BOARD MATERIALS UP TO 19 MM THICKNESS (PANEL BASE 1220 = 26 MM)
- EASY INSTALLATION, NO DRILLING REQUIRED
- RUBBER FEET PROTECT THE FLOOR AND CREATE A LIGHT FLOATING EXPRESSION






# Magnet Frame

## The stylish system for rollable panels

- PROFESSIONAL AND EXCLUSIVE EXPOSURE
- THE GRAPHIC IS MOUNTED IN SECONDS THROUGH MAGNETIC FORCE
- EASY TO CHANGE GRAPHICS ON LOCATION



The base gives the graphic a stylish, frameless base.



The panels are easily attached with magnetic force.



Double sided system for double exposure.

**Magnet Frame** is a double-sided frame for rollable, easily transported panels. The graphic is mounted securely in just seconds through magnetic force, and a discreet aluminium strip frames it. It can also be used with Panel Base.

### FACTS MAGNET FRAME

Version.....	400x1600.....	610x1800
Total width (mm) .....	405.....	615
Total height (mm) .....	1 600.....	1 800
Weight (kg).....	2,9.....	3,8
Colour .....	Silver .....	Silver



Watch the movie about  
Magnet Frame at [expolinc.com](http://expolinc.com)



# Case & Counter



- CONVERTS INTO A LARGE FORMAT COUNTER IN MINUTES
- A COMPLETE EXHIBITION STAND TRANSPORTED IN ONE BOX
- MADE OF DURABLE MATERIALS AND FITS MOST CARS

## SHELF IN SILVER

The topshelf for double Case & Counter is available in silver.

# Case & Counter

## From case to counter in a minute

A spacious transport case that takes just one minute to convert into a stylish and stable counter with internal shelves. Materials are carefully selected for durability and user friendliness. Two cases can easily be connected with a single top shelf. This is the king of portable counters!



### SINGLE CASE

Size folded (mm)	.....D415xW640xH1000
Size extended (mm)	.....D590xW1390xH1010
Weight incl. top shelf (kg)	.....22,0
Volume (L)	.....196

### TWO CASES

Total size 2 boxes (mm)	.....D830xW640xH1000
Weight 2 boxes incl 1 top shelf (kg)	.....40,9
Size top shelf folded (mm)	.....D470xW740xH28
Size top shelf unfolded (mm)	.....D940xW740xH12
Volume (L)	.....2x196 (=392)



### TOP SHELVES

Top shelves available in silver or stone.



The top shelf is easily secured.



Professional finish on all details.



Watch the movie about  
Case & Counter at [expolinc.com](http://expolinc.com)

# Stand Up

## For meetings large and small



The Stand Up package includes frame, top shelf, internal shelf and padded nylon carrying bag with shoulder strap.



Plenty of space for storing your information material.

The Stand Up counter becomes a natural meeting place in an event environment or the perfect place to sign a contract for a sale. The Stand Up counter is available in two shapes - rectangular or a stretched hexagon. Both are easy to assemble, with an ultra-stable design that provides maximum space for your message.



The panels are mounted and kept in the frame during transport.

Name .....	Universal.....	Info
Width (mm).....	1246.....	790
Height (mm) .....	1023.....	1023
Depth (mm) .....	528.....	370
Weight, package (kg) .....	17,5.....	9,5

- QUICK AND EASY SET UP WITH PANELS ALREADY MOUNTED
- ULTRA STABLE DESIGN FOR PRODUCT EXPOSURES AND DEMONSTRATIONS
- MAXIMUM SPACE FOR THE MESSAGE WHICH CAN BE EASILY EXCHANGED



# Pole System

## Elevate your message above the crowd

- QUICK AND EASY SET UP WITH NO LOOSE PARTS
- DOUBLE SIDED, FLEXIBLE HEIGHTS AND SEVERAL WIDTHS
- EASY HANDLING WITH INTEGRATED FOOT AND SUPPORT POLE

The Pole System is the perfect choice when you need to raise your message higher or when you need to see what's going on behind the banner. The Pole System allows you to create exciting solutions, particularly in combination with other systems. The panel dimensions are flexible in height and width, and panels can be placed on both sides of the display. The Pole System assembles in no time at all. With just a few simple actions, you fold out the legs, pull up the telescopic rod and hook one or two panels in place. It couldn't be simpler.



Spring loaded tension holds the panel in perfect position.




Pole System is prepared for double sided use.

### FACTS POLE SYSTEM

Function .....	Single/double-sided
Width (mm) .....	550/700/850/1000
Height (mm) .....	1000-2400
Depth (mm) .....	500
Weight (kg) .....	2,6/2,7/2,8/2,9
Colour .....	Silver



Watch the movie about Pole System at [expolinc.com](http://expolinc.com)



Best in class LED light available including nylon bag. 15W, 1200 lumens.



Discrete top profile with patented locking function. End caps are optional.



Pole System is transported in a nylon bag with shoulder strap.



# Monitor Stand

## Unleash your creativity

A stylish Monitor Stand that are both discrete and functional, made to enhance your communication with customers. Very stable stand to be used freestanding or integrated with a backwall system.



Watch the movie about  
Monitor Stand at [expolinc.com](http://expolinc.com)



### FACTS MONITOR STAND

Monitor Stand .....	Info
Height (mm) .....	1810
Weight (kg) .....	14
Max screen weight .....	15 kg (about 55")



Monitor Stand is transported in a  
nylon bag with carrying handles.

- STYLISH DESIGN WITH HIGH FINISH
- MOUNT UP TO 15 KG MONITOR. (ABOUT 55")
- EASY TO ASSAMBLE

# Info Stand

## A stationary display for directions, information or instructions



Info Stand angled. The message is secured between the top- and bottom plates.



Weighted base with rubber feet.



Info Stand straight. Easy to secure and change the message.

**Info Stand angled.....Info**  
 Size display portrait (mm).....A4 (210x297)  
 Size display landscape (mm).....A4 (297x210)  
 Height (mm).....1020  
 Weight (kg).....5,2

**Info Stand straight.....Info**  
 Size display (mm).....A3 (420x297)  
 Height (mm).....1 500  
 Weight (kg).....4,8

- A STYLISH AND STABLE DISPLAY FOR INFORMATION IN PUBLIC ENVIRONMENTS
- ANGLED VERSION FOR PERFECT READING POSITION
- STRAIGHT VERSION FOR DOUBLE-SIDED DIRECTIONAL SIGNAGE

# Portable Table

With Portable Table you will get two tables in one. Just switch between bar height and sitting height depending on the situation. All parts are delivered in a compact carrying bag that also fits in any of the Expolinc boxes. With Portable Table you will always have a place at hand for presentations or to have a coffee with your customers.

- COMPACT PACKAGE, WEIGHS ONLY 10 KG
- TWO HEIGHTS IN THE SAME PACKAGE

## FACTS PORTABLE TABLE

Height, bar table .....	1 075 mm
Height, coffee table.....	665 mm
Weight complete.....	10 kg
Bag.....	440x600 mm
Top .....	410x560 mm

Portable Table is transported in a nylon bag with carrying handles.

## Bring your own table to the event





## Own development & design

We design and develop all our products ourselves and control the whole manufacturing process.

## Production

We have our own global modern warehouse and logistics system, providing you not only with products, but with spare parts and accessories - no matter where you are.

## Quality control

To make sure that you are able to rely on our systems over and over again, we submit ourselves and our suppliers to rigorous quality control procedures. When developing products, our core objective is to achieve a carefully considered and functional design.

## Personal service

You can always expect to get excellent business support from us, our sales representatives and customer support are here for you. We are passionate about what we do and will always help you to find the solution that fits your needs. We have more than 35 years of experience in this industry!



## Dealers

Our products are distributed via a network of dealers worldwide. We are always happy to help you find the best solution based on your needs and wishes.

## Lifetime warranty

We are so confident in the function and quality of our systems that we give a lifetime warranty on all our products.



## Mission

We develop unique and user friendly products and services within the high end portable and stationary display market. We aim to facilitate successful business in the value chain of distributors, dealers and end users. We only market the Expolinc brand through authorized distributors and dealers globally.



**We create marketing  
tools for professionals**

HIGH PERFORMANCE  
DISPLAY SYSTEMS

EXPOLINC.COM